

# TOUCH SERIES GRAPHIC CONTROL PANELS

## INDUSTRY LEADING TOUCH CONTROL

Automation Display's graphic control panels have been regulating and monitoring critical processes, systems, and access control in the most demanding applications for over 40 years.

## FEATURES, BENEFITS, & OPTIONS

- Customizable to your specific needs
- Simple User Interface
- None Volatile Memory (Settings Remain After Power Down)
- At a glance monitoring and control of critical measurements
- Can be installed in washdown environments
- Can be installed in both new construction or retrofit to existing buildings
- Calibration screen
- Surface mount or flush mount enclosures
- Simply integrates with existing system using Analog I/O or Modbus protocol
- Customer branding available
- Standard and custom enclosures suitable for washdown environments
- 24 VAC power supply (1A or 1.5 A Current)

## USE CASES

Annunciators  
User Interface Panels  
Environmental Control  
Access Control

## SPECIFICATIONS

<b>Screen</b>	7" capacitive touchscreen 4" capacitive touchscreen
<b>Resolution</b>	1024 x 600 & 16.7M color 480 x 272 & 262k color
<b>Calibration</b>	Factory set, field calibration via calibration screen
<b>Analog I/O</b>	Inputs: 4 x $\pm 40V$ or 4-20mA Outputs: 2 x $\pm 40V$ or 4-20mA
<b>Digital I/O</b>	8 x Digital IO configurable for input or output and 2 relay outputs
<b>Protocols</b>	Modbus RTU BACnet MS/TP & P1 - March 2020
<b>Operating Temperature</b>	0 to 40°C (32 to 104°F)
<b>Power</b>	5 to 30VDC (1A typical at 5V DC)
<b>Dimensions</b>	7": 7.3" x 4.8" x 0.7" 4.3": 4.7" x 3.1" x 0.8"



Custom Design & Manufacture

Automation Displays, Inc.

3533 N. White Avenue, Eau Claire, WI 54703

Telephone: (715) 834-9595 Fax: (715) 834-9596 Email: [adi@adipanel.com](mailto:adi@adipanel.com) [www.adipanel.com](http://www.adipanel.com)